Lot: _____

RESTORATION HARDWARE

Style # 26100125 Laguna 32" Fire Column

For Technical Support contact Real Flame®: 1-800-654-1704

Restoration Hardware Customer Service: 1-800-816-0901


Designed and Engineered by Real Flame.

Manufactured in China for:

Restoration Hardware

15 Koch Rd, Suite J

Corte Madera, CA 94925



For Technical Support call 1-800-654-1704



▲ WARNINGS **▲**

Read entire label and all instructions included with ventless fireplace fuel and fire column PROPERTY DAMAGE, SERIOUS INJURY OR DEATH may result if these warnings are not followed

M HAZARDS M

- Ventless Fireplace Fuel is flammable. Failure to follow warnings can result in property damage or serious burns.
- Do not attempt to refill a fire that is already burning. Flare-ups or flashbacks can occur if you do. Make sure that the fire is out and allow the unit to cool for 20 minutes before refuling.
- Use only Real Flame® Ventless Fireplace Fuel in this unit. Do not use with any other fuels or flammable material.
- Do not store or use gasoline or other flammable materials, including fuel, near this product. Vapors from these types of items may collect and increase the risk of fire, explosion or injury.

In case of an emergency use a CO2 extinguisher or baking soda to extinguish the fire.

- Burn only Real Flame® Ventless Fireplace Fuel in fire column. Never burn trash, paper, wood or any other fuel in the unit. SEVERE BURN HAZARD
- 2. Fire column is not to be operated by anyone below age 18. Keep away from children and pets.
- 3. Make sure fire column is placed on a flat and level surface and filled with sand as described in the instructions in this manual. Failure to do so could cause the unit to tip, resulting in serious injury, property damage or death.
- 4. Do not place fire column in an area with lots of traffic, such as a hallway or entryway.
- 5. WARNING: Never alter or dismantle fire column in any manner.
- 6. Never burn ventless fireplace fuel outside the designated burn area.
- 7. Do not burn more than the specified amount of fuel at any time.
- 8. Never leave a burning fire unattended, especially around children or pets.
- Never touch rocks, glass or any metal surfaces during or immediately after burning ventless fireplace fuel.They will be extremely HOT. Allow surfaces to cool for 20 minutes before touching, refueling, or moving the unit.
- 10. Do not wear flammable or loose clothing when operating the fire column.
- 11. Exercise the same precautions as you would with any open fire.
- 12. DEATH, SERIOUS INJURY OR PROPERTY DAMAGE may result if these warning are not followed correctly.

NOTICE: Buyer assumes all responsibility for safety and use that is not in compliance with these instructions and warnings.

Using your Fire Column

- -Unit is for indoor or outdoor use.
- Before using unit, be sure you have read and understood the step-by-step instructions.
- After several burns, soot may develop on the inside of the glass. Clean with a damp soapy rag or any household glass cleaner.
- During the initial burn you may experience a slight odor. Odor is temporary and will be absent on following burns.

VENTLESS FIREPLACE FUEL Real Flame® Ventless Fireplace Fuel contains isopropyl alcohol
Avoid contact with eyes, mucous membranes or prolonged contact with skin. May
irritate eyes. Store in a cool, dry place. Keep away from flame, heat or items that
spark. Use in well-ventilated areas. Keep out of reach of children and pets. In case
of fire, use a CO2 fire extinguisher or baking soda.

FIRST AID

If fuel gets in eyes, flush with water for 15 minutes; get medical attention. If ingested, do not induce vomiting; call poison control center or a doctor.


If you have questions please call customer service at 1-800-654-1704


RF Fire Table/bowl WARNINGS 080712

2 11

Parts List			
Number	Description	Part Number	Quantity
1	Modesto Pilla	r 08063101	1
2	Glass	08063102	1
3	Base Plate	08052403	1
4	Snuffer	04342400	1
5	River Rock	05653407	1 Bag

Hardware pack






Step One

Place the Modesto Column (1) upside down on a level surface.

After unscrewing the three screws to remove base plate, fill the column with 30 Lbs. of sand (Not Included).




Care and Cleaning

Real Flame® Ventless Fireplace Fuel cans are for single use only. Allow to cool for at least 20 minutes after use and then discard. Remember to recycle.

A standard household glass cleaner can be used to clean the glass parts of the fireplace.

A damp rag and mild soap can be used to clean the body of the fireplace.





To Light:

- Light the fuel can with an extended lighter or long match.
- Burn time will be approximately 2.5 to 3 hours.
- Do not wear loose clothing when lighting.

Step Two

After sand has been poured into the column, install the Base Plate (3) onto the bottom of the unit using the included hardware as shown.





To Extinguish:


- Place the round end of the snuffer (4) over the opening on the fuel can. Hold in place for 5-10 seconds until flame is extinguished.
- -Allow to cool for at least 20 minutes before attempting to replace can lid. CAN WILL BE EXTREMELY HOT. SEVERE BURN HAZARD.




Step Three

Flip the column over so that it is upright as shown below.

Install the Glass (2) on the column so that it fits inside the outer rim.





Fuel Use

After removing paper label from Real Flame® Ventless Fireplace Fuel can (sold separately), remove lid and place open can into the center recess. Set the lid aside.

WARNING: RISK OF EXPLOSION

- Do not attempt to add Ventless Fireplace Fuel on a fire that is already burning.
- Restoration Hardware requires that Real Flame® 13oz. Ventless Fireplace Fuel cans be used for safe operation of this appliance. Do not use with any other gel fuel or flammable material.
- Do not attempt to refill Ventless Fireplace Fuel can. Can is intended for single use only.
- Do not store or use gasoline or other flammable materials, including ventless fireplace fuel, near this product. Vapors from these types of items may collect and increase the risk of fire, explosion or injury.
- In case of an emergency use a CO2 extinguisher or baking soda to extinguish the fire.

