RESTORATION HARDWARE

DUTCH INDUSTRIAL CONSOLE WASHSTAND SINK ASSEMBLY INSTRUCTIONS

Before You Begin:

Professional installation by two-person crew is required for this fixture. Install water supply and drain piping according to local plumbing and building codes. Insure that wall and floor are square and plumb at site of installation.

Tools and Materials Required:

- I. Flat, nonabrasive work surface such as a blanket or smooth cardboard
- 2. Carpenter's level
- 3. Sealant
- 4. Phillips head screwdriver




ASSEMBLED SINK

RESTORATION HARDWARE

DUTCH INDUSTRIAL CONSOLE WASHSTAND SINK ASSEMBLY INSTRUCTIONS

Parts List

A. Lavatory basin



B. Washstand base




RESTORATION HARDWARE

DUTCH INDUSTRIAL CONSOLE WASHSTAND SINK ASSEMBLY INSTRUCTIONS

Assembly Instructions:

I. Place the basin (A) on washstand base (B). (See Illustration)





Cleaning and Maintenance Instructions:

Avoid abrasive and harsh chemical cleaners.


To maintain and protect luster of vanity sink components, Restoration Hardware Bathroom Cleaning Products are recommended.

Restoration Hardware natural stone tops have a honed finish and hand-polished edges. They are sealed twice before shipment with inert silicone sealant. For cleaning and maintenance, Restoration Hardware Stone Care Products are recommended. To maintain your natural stone top, reseal it once a year.







FRONT VIEW



SIDE VIEW



BACK VIEW



DRAWINGS REPRESENT ORIGINAL DESIGN SPECIFICATIONS, ACTUAL PRODUCT DIMENSIONS MY VARY SLIGHTLY.
ALL DIMENSIONS ARE REPRESENTED IN INCHES.
PROFESSIONAL INSTALLATION REQUIRED

Unless otherwise noted, all design and content, images, artwork, graphics, photography, text, and the like are copyrights, trademarks, trade dress, and/or intellectual property that are owned, controlled, or licensed by Restoration Hardware.

RESTORATION HARDWARE