



RH concrete tables and tabletops are handmade of a custom engineered concrete mix, then finished and sealed using proprietary methods.

- The casting and finishing processes create subtle variations in shading, color and texture; no two items will be exactly alike.
- Our concrete will exhibit fading, mottling and non-structural hairline cracks over time with exposure to the elements. These do not affect the structural integrity of the tabletop.
- Concrete tabletops are sealed to protect against food stains, scratches and water absorption, but staining
  can still occur due to the porous nature of the material. Spills should be wiped up quickly to avoid staining.
- Small surface apertures are the result of the hand-finishing process and are inherent to the product and highlight concrete's intrinsic richness and natural finish.
- With sun exposure, the concrete tabletop will fade in color.

## **CARE & MAINTENANCE**

We recommend using a non-abrasive cleaner like Seventh Generation® Free & Clear.

- 1. Spray the cleaner across the surface, let it sit for 2-3 minutes, then wipe down with a sponge or towel.
- 2. For added protection and polishing, we recommend using carnauba wax (such as Trewax® Clear Paste Wax) every 2-5 months.

To apply:

- a. Dampen a clean sponge or a soft, clean cotton cloth with water and wring out completely.
- b. Working in small sections, apply a thin layer of wax in circular motions.
- c. Remove the excess wax immediately with a dry cloth in the same circular motion; buffing works the wax into the natural material.
- d. Move to the next section, overlapping the last application slightly.
- 3. Concrete fabricators can professionally reseal the surface if needed.



### RECOMMENDATIONS

- Lift, do not drag, your concrete table to adjust to a new position.
- To prevent scratches, do not place or drag sharp or coarse objects across the surface.
- Avoid contact with acidic substances such as citrus or olive oil, which can damage the sealant.
- We do not advise the use of most natural cleaners, as the cleaning agent is typically highly acidic and can damage the table's surface. Citrus-based cleaners should not be used.
- Do not use any cleaning products that contain acetone or denatured alcohol.
- Do not use any heavy abrasive, bleach-based or ammoniated cleansers.
- Do not place extremely hot pans, dishes or glasses directly onto the tabletop, as this can cause sealer discoloration and rings.
- · We recommend always using placemats or coasters.
- Use felt pads on the bottom of objects that will remain on the tabletop for long periods. This is especially
  important with natural stone materials or items that contain moisture; residual moisture can transfer to the
  concrete and cause discoloration.
- · Wipe up spills quickly to avoid staining.
- Our outdoor furniture covers will help protect the table from the elements.
- Tenting devices should be used in conjunction with outdoor furniture covers to ensure that the cover does not freeze to the surface of the concrete during winter.
- Rainwater will pool underneath items such as vases, candles or planters and mark the concrete tabletop; therefore we recommend removing these items during rainy conditions.
- We highly recommend using risers under your concrete items to ensure that they don't stand in water or mud that may freeze and create micro-cracks.





RH's Natural Teak highlights the beauty and grain of solid teak. Due to natural variations in the wood, graining and color may differ between pieces.

Natural Teak weathers to a beautiful silver-grey patina over time. This weathering process will vary depending on climate, exposure to the elements, and commitment to care and maintenance.

Teak expands and contracts with changes in climate. Shrinking of the wood can result in hairline cracks in the assembly joints or the grain of the wood itself. This does not affect the structural integrity of the frame's construction.

We strongly recommend using our custom-fit outdoor covers to protect furniture from the elements and minimize aging.



NATURAL TEAK (NEW)



NATURAL TEAK (AT 6 MONTHS)



NATURAL TEAK (AT 1 YEAR)

# OIL SURFACING

Teak is dense and has a high oil content, which makes it particularly suitable for outdoor use. The natural oils prevent rotting and provide resistance to fungus, termites and wood-boring pests. The natural oils in teak may surface as a result of exposure to rain and humidity and appear like water stains.

Oil content can vary between pieces, so oil surfacing may recur multiple times before it naturally subsides over a period of several months.

- Address oil surfacing by rinsing the frames with water and cleaning with Golden Care® Hardwood & Teak Cleaner when it occurs
- After air drying, any residual stains can be lightly sanded with a 120-grit paper to remove them
- An application of Golden Care® Hardwood & Teak Shield will help the wood resist moisture and staining (to address surface oil on cushions, see Cushion Care & Maintenance)



### **CARE & MAINTENANCE**

Golden Care® Hardwood & Teak Cleaner and Golden Care® Hardwood & Teak Shield applied at the beginning and end of each season will help maintain the original quality of teak and increase surface resistance to moisture, UV rays, mold, mildew, and food and drink stains. Application of Golden Care® Teak Protector will help maintain the original color of teak.

To keep the surfaces clean from dirt, mold and mildew, periodically hose with water and Golden Care® Hardwood & Teak Cleaner, scrubbing in the directions of the grain.

For stubborn areas, use our AR Power Washer to clean. Hold the power washer approximately 30" away from the furniture and do not exceed 1200 PSI. Rinse, and then allow to sun-dry.

Exposure to moisture over time can raise the wood grain. A light sanding with fine 120-grit sandpaper smooths the surface.

### **RECOMMENDATIONS**

- · Avoid letting water stand on the surface of furniture and cushions.
- As with all RH Outdoor purchases, we recommend using our custom furniture covers when items are not
  in use; furniture, cushions and covers should be clean and dry before covering.
- Cushions should be removed whenever possible before covering the frames for longer than a few days to avoid mold and mildew build-up
- If cushions get wet, tip them on their sides with the zipper facing down and unzipped to ensure that all
  water drains.

**Care Products** 





Teak is dense and has a high oil content, which makes it particularly suitable for outdoor use. The natural oils prevent rotting and provide resistance to fungus, termites and wood-boring pests.

RH's Weathered Teak finish is hand applied to our sustainably harvested teak frames using a wire brush to distress the wood before applying a multilayered painted finish, achieving a weathered look.

Teak expands and contracts with changes in climate. Shrinking of the wood can result in hairline cracks in the assembly joints or the grain of the wood itself. This does not affect the structural integrity of the frame's construction.

Moisture contributes to the natural expansion and contraction of both the teak and the painted finish, which can result in hairline cracks in the finish.

As with any painted finish, our Weathered Teak finish will fade and wear with exposure to the elements. As the finish flakes off, the natural teak underneath will become exposed and start to turn grey. The rate at which the finish weathers will vary depending upon climate, exposure and commitment to care and maintenance. This weathering process is accelerated when furniture is left untreated or uncovered.

We strongly recommend using our custom-fit outdoor covers to protect furniture from the elements and minimize aging.



WEATHERED TEAK FINISH (NEW)



WEATHERED TEAK FINISH (WITH SOME MAINTENANCE)



WEATHERED TEAK FINISH (WITH NO MAINTENANCE)



### **CARE & MAINTENANCE**

Once the weathering of the finish begins, we recommend the following:

- Hose down the furniture (DO NOT use a power washer) and clean with Golden Care® Hardwood & Teak
  Cleaner using a sponge or soft scrub brush to remove dirt and loose paint, ensuring a clean surface. Allow the
  surface to dry for 24 hours.
- If exposure to moisture over time has raised the wood grain, sand lightly with 120-grit sandpaper.
- Apply Golden Care® Instant Grey to maintain the color of your finish. Allow to air dry for 24 hours.
- Apply Golden Care® Hardwood & Teak Shield to protect from UV rays, mold and mildew, and food and drink stains.

### RECOMMENDATIONS

- · Avoid letting water stand on the surface of furniture and cushions.
- Do not allow wet cushions to sit on a frame for extended periods of time, as trapped moisture will contribute
  to the deterioration of the finish.
- As with all RH Outdoor purchases, we recommend using our custom furniture covers for teak items when
  not in use; furniture cushions and covers should be clean and dry before covering.
- Cushions should be removed whenever possible before covering the frames for longer than a few days to avoid mold and mildew build-up.
- If cushions get wet, tip them on their sides with the zipper facing down and unzipped to ensure that all
  water drains.

**Care Products** 



RH's Rustic Teak is handcrafted using a multistep finish process.

The Rustic Teak finish weathers to a beautiful silver-grey patina over time. The weathering process will vary depending on climate, exposure to the elements, and commitment to care and cleaning.

Surface areas that are exposed to rain may lose their finish more quickly. Rinsing the furniture with a hose after a rain shower can slow this process.

Teak expands and contracts with changes in climate. Shrinking of the wood can result in hairline cracks in the assembly joints or the grain of the wood itself. This does not affect the structural integrity of the frame's construction.

We strongly recommend using our custom-fit outdoor covers to protect furniture from the elements and minimize aging.



RUSTIC TEAK FINISH (NEW)



RUSTIC TEAK FINISH (AFTER 1 YEAR)



### OIL SURFACING

Teak is dense and has a high oil content, which makes it particularly suitable for outdoor use. The natural oils prevent rotting and provide resistance to fungus, termites and wood-boring pests.

No oil blocker is used in the Rustic Teak finishing process. Therefore, the natural oils in teak may surface as a result of exposure to rain and humidity and appear like water stains.

Oil content can vary between pieces, so oil surfacing may recur multiple times before it naturally subsides over a period of several months.

- Address oil surfacing by rinsing the frames with water and cleaning with Golden Care® Hardwood & Teak
  Cleaner when it occurs.
- An application of Golden Care® Hardwood & Teak Shield will help the wood resist moisture and staining (to address surface oil on cushions, see Outdoor Cushion Care & Maintenance).



OIL SURFACING

#### **CARE & MAINTENANCE**

Golden Care® Hardwood & Teak Cleaner and Golden Care® Hardwood & Teak Shield applied at the beginning and end of each season will help maintain the quality of the teak and increase surface resistance to moisture, mold, mildew, and food and drink stains.

To keep the surfaces clean from dirt, mold and mildew, periodically hose with water and Golden Care® Hardwood & Teak Cleaner, scrubbing with a sponge in the directions of the grain.

Do not use a power washer, as this will damage the finish.

Exposure to moisture over time can raise the wood grain. A light sanding with fine 120-grit sandpaper smooths the surface.

## RECOMMENDATIONS

- · Avoid letting water stand on the surface of furniture and cushions.
- As with all RH Outdoor purchases, we recommend using our custom furniture covers when items are not in use; furniture, cushions and covers should be clean and dry before covering.
- Cushions should be removed whenever possible before covering the frames for longer than a few days to avoid mold and mildew build-up.
- If cushions get wet, tip them on their sides with the zipper facing down and unzipped to ensure that all water drains.

#### Care Products