

# COLLETTE FLOOR LAMP


ASSEMBLY & INSTALLATION INSTRUCTIONS
UNITED STATES ENGLISH



## **COLLETTE FLOOR LAMP**

## PARTS INCLUDED

- (A) Finial (1)
- (B) Rubber Washers (2)
- (C) Alabaster Diffuser (1)
- (D) Alabaster Shade (1)
- (E) Bulb (1)
- (F) Allen Wrench (1)
- (G) Allen Screws (4)
- (H) Thumb Screws (4)
- (I) Wire Nuts (2)
- (J) Metal Tube (1)
- (K) Top Lamp Body (1)
- (L) Middle Lamp Body (1)
- (M) Bottom Lamp Body (1)





## IMPORTANT: PLEASE READ

## **IMPORTANT SAFETY FEATURES**

#### **BULBS**

This fixture has been rated for up to one (1) 100-watt maximum Type A60 incandescent lightbulb, or up to one (1) 6-watt maximum LED lightbulb. To avoid risk of fire, do not exceed recommended wattage.

#### DIMMER SWITCH COMPATIBILITY

This fixture is dimmer-switch compatible and may only be used with a TRIAC dimmer switch.

## WARNINGS

All wires are connected. When unpacking, be careful not to pull wires, as damage may result. Do not connect electricity until the fixture is fully assembled. To reduce the risk of fire, electrical shock, or personal injury, always turn off fixture and allow it to cool prior to replacing the lightbulb. Do not touch or look directly at the bulb when fixture is illuminated. Keep flammable materials away from lit bulb.

WARNING: This product can expose you to lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov.

## **WARNING: STRANGULATION HAZARD**

Keep cord at least 3 feet away from cribs, bassinets, and toddler beds. Keep out of reach of children under 3 years of age.

## THIS PRODUCT IS NOT A TOY AND HAS NO PLAY VALUE.

#### ASSEMBLY AND INSTALLATION

- Carefully remove all parts from the box and remove all plastic coverings.
- 2. Place Metal Tube (J) on the table.
- Carefully place Top Lamp Body (K), Middle Lamp Body (L), and Bottom Lamp Body (M) in consecutive order onto Metal Tube (J).
- Connect the black wire from the socket to the black wire from Metal Tube (J) using Wire Nuts (I).
- Connect the white wire from the socket to the white wire from Metal Tube (J) using Wire Nuts (I).
- 6. Install the hardware bracket to Metal Tube (J) and secure with Allen Screws (G) using Allen Wrench (F).
- Install Alabaster Shade (D) to the hardware bracket and secure with Thumb Screws (H).
- 8. Insert Bulb (E) into the socket.
- Place Alabaster Diffuser (C) over the harp and secure with Rubber Washers (B) and Finial (A).
- 10. Remove the red protective plug cover from the power cord.
- 11. Restore power and plug into proper electrical outlet to test fixture.
- 12. Assembly is complete.

#### CARE INSTRUCTIONS

Do not use polishes or cleaners on the fixture. Wipe clean with a soft,  $\mbox{\ensuremath{\mbox{dry}}}$  cloth.

REVISION 07-27-23 RH.COM



#### FCC COMPLIANCE:

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) This device must accept any interference received, including interference that may cause undesired operation. Caution: Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

#### IC COMPLIANCE:

This Class B digital apparatus complies with CAN ICES-005 (B) /NMB-005(B).

RESTORATION HARDWARE 15 KOCH ROAD CORTE MADERA, CA 94925 1-800-762-1005

REVISION 07-27-23 RH.COM