




INSTALLATION INSTRUCTIONS

MERCURY LOUNGE

A. PREPARATION AND FRAME ASSEMBLY

STEP 1:


Remove the pallet and unpack the lounge components. The upper canopy frame may be folded on top of the mattress during shipping.



STEP 2:

- Insert vertical columns.

Note: Do not tighten screws until upper frame is installed.



STEP 3:

- Repeat the same process for all remaining vertical columns. Confirm that each column is fully seated before continuing.



Shown with side drape frame attached

STEP 4:

- Slide six (6) curtain rings onto one horizontal pole. Then insert the horizontal pole into the elbow bracket.



STEP 5:

- Once the curtain rings are in place, secure the pole using an Allen key.



STEP 6:

- Repeat Steps 4 and 5 on all four (4) sides of the lounge.



B. SHEER CURTAIN INSTALLATION

STEP 7:

- Remove the sheer curtains from the plastic packaging.



STEP 8:

- Lift the sheer curtain rod into position.



STEP 9:

- Slide the sheer curtains onto the sheer curtain rod.



STEP 10:

- Remove the center support from the center latch by pressing the square release button.



STEP 11:

- Insert the left side of the sheer curtain rod into the center support.



STEP 12:

- Raise the second rod into position to receive the right side.



STEP 13:

- Insert the right side of the sheer curtain rod into the center support



STEP 14:

- Snap the center support back into the latch and confirm it is fully engaged.



STEP 15:

- Repeat Steps 10 through 14 on the opposite side of the loun



STEP 16:

- Pull the pin to release the side sheer curtain rod



STEP 17:

- Slide the sheer curtains onto the side rod. Make sure the curtain wraps around the outside of the vertical pole.



STEP 18:

- Move the rod back into the gray polymer bracket.



STEP 19:

- Reinsert the pin into the gray polymer bracket to secure the rod.



STEP 20:

- Slide the sheer curtains into their final position.



STEP 21:

- Repeat Steps 16 through 20 on the opposite side.



STEP 22:

- 22 Confirm that all sheer curtains are installed and positioned evenly.



UPPER VALANCE INSTALLATION

STEP 23:

- Locate the upper valance. The upper valance does not have horizontal Velcro.




STEP 24:

- Start from the right corner and align the first snap



STEP 25:

- Attach the corner snap first.



STEP 26:

- Attach the center snaps, then continue fastening the snaps around the valance.



STEP 27:

- After all snaps are attached, pull the valance taut and secure it with the Velcro.



STEP 28:

- Confirm that the upper valance is fully installed, straight, and evenly tensioned.



LOWER VALANCE AND MATTRESS INSTALLATION

STEP 29:

- Locate the lower valance and attach it to the mattress support using the Velcro.



STEP 30:

- Pull the lower valance taut around the vertical poles and continue attaching it around the lounge.



STEP 31:

- Attach the two ends of the lower valance together using the Velcro.



STEP 32:

- Confirm that the lower valance is fully installed and evenly aligned around the lounge.



STEP 33:

- Place the mattress, with the plastic cover still on, onto the mattress support.

Note: Do not remove the plastic cover at this time.



CANOPY PREPARATION

STEP 34:

- Remove the plastic packaging from the upper canopy.



STEP 35:

- Place the canopy upside down in a clean area where the fabric will not become soiled, then open it carefully



STEP 36:

- Gently pull the ribs open and push the center hub into place.



STEP 37:

- Confirm that the center hub is secured and that the pin is properly in place.



STEP 38:

- Turn the canopy side up.



STEP 39:

- Position the canopy so it is ready to be installed onto the frame.




STEP 40:

- Unscrew the center pole from the canopy.



STEP 41:

- Remove the pole and save it for future use. Do not discard it.




STEP 42:

- Insert the finial onto the threaded rod.



STEP 43:

- Tighten the finial securely into place.



FINAL CANOPY INSTALLATION

STEP 44:

- Lift the canopy into position. Use enough people to safely support the canopy and avoid damaging the fabric or frame.



STEP 45:

- With two (2) people on each side of the lounge, carefully align the canopy with the frame.



STEP 46:

- Insert the canopy supports into all four corners of the frame.



STEP 47:

- Insert the vertical center supports into the latches located at the center of the two horizontal poles. Confirm all supports are fully seated and secure.

